



Model WB 0401



Model WB 0405



Model WB 1206A



Model WB 1208-1



Model WB 2204-1



Model WB 2200



Model WB 2204



Model WB 2205



Model WB 3806

13" x 3"A

Model	Load(kg)	Weight(kg)	Water Capacity	Sand Capacity	Wheel	L	H	C	A	B	h
WB 0401	20	3.85			3.00-4	1118	787	525	850	590	375
WB 0405	20	3			3.00-4	1105	785	590	746	533.5	325
WB 1206A	100	12.3	47	4	3.25/3.00-8	1400	520	500	785	715	194
WB 1208-1	100	7.1	47	4	13" x 3"A	1360	550	480	805	690	194
WB 2204-1	100	12.3	58	5	13" x 3"A	1245	615	615	775	500	290
WB 2200	120	9.8	58	5	13" x 3"A	1320	540	500	770	495	260
WB 2204	120	12.8	58	5	13" x 3"A	1245	615	547	775	500	290
WB 2205	120	14	58	5	13" x 3"A	1275	565	490	775	500	290
WB 3806	100	12	65	5	13" x 3"	1405	540	450	820	665	250



Model WB 6200



Model WB 6206



Model WB 6400



Model WB 6405



Model WB 5600



Model WB 7500



Model WB 7200



Model WB 6410



Model WB 6424

Model	Load (kg)	Weight (kg)	Water Capacity	Sand Capacity	Wheel	L	H	C	A	B	h
WB 6200	130	10	65	5	13" x 3"A	1400	460	560	820	660	246
WB 6206	130	11.2	65	5	3.25/3.00-8	1470	547	510	820	665	250
WB 6400	130	10	65	5	14" x 4"A	1430	515	527	830	680	250
WB 6405	130	11.6	65	5	4.00-8	1420	590	520	830	680	250
WB 5600	100	13	72	5	4.00-8	1490	585	505	1090	600	270
WB 7500	160	13.4	78	5	13" x 3"	1440	485	517	895	642	298
WB 7200	160	10.3	78	5	13" x 13"A	1440	480	510	895	642	298
WB 6410	130	13.6	65	5	3.50-8	1250	665	560	835	680	225
WB 6424	120	11.3	55	4	16" x 4"A	1490	505	525	840	640	235



Model WB 0100



Model WB 0200



Model WH 0201-I



Model WB 1501



Model WB 1200



Model DW 1500



Model WB 2206



Model WB 4238



Model WB 6414

Model	Load (kg)	Weight (kg)	Water Capacity	Sand Capacity	Wheel	L	H	C	A	B	h
WB 0100	5	3	10	0.4	5.5" x 1"	735	390	385	490	370	98
WB 0200	10	15	20	0.6	8" x 1.75"	840	330	310	590	430	225
WH 0201-I	10	4.0	10	0.4	8" x 1.75"	820	287	308	515	410	95
WB 1501	100	13.85	47	4	13" x 3"	1340	510	610	785	715	194
WB 1200	100	10.6	47	4	13" x 3"A	1340	500	555	785	715	194
DW 1500	100	13	40	2.5	3.25-8	1235	530	350	820	335	305
WB 2206	120	10.5	58	5	3.00-8	1355	645	546	776	502	243
WB 4238	130	10.6	65	5	3.50-8	1350	520	550	825	585	225
WB 6414	160	11.8	85	5.5	16" x 4"A	1450	580	600	1000	600	330




Model WB 8611



Model WB 8618



Model WB 3500



Model WB 6610



Model WB 4800



Model WB 6204R



Model WB 6214



Model WB 6414T



Model WB 6420-II

Model	Load (kg)	Weight (kg)	Water Capacity	Sand Capacity	Wheel	L	H	C	A	B	h
WB 8611	150	20	100	7	16" x 4"	1500	505	565	980	635	295
WB 8618	200	15.5	100	7	4.80/4.00-8	1546	583	706	980	633	296
WB 3500	160	17.5	85	5.5	4.00-6	1110	840	400	1000	600	330
WB 6610	160	19	80	6	4.00-8	1555	530	610	970	675	270
WB 4800	220	32.9	100	7	4.80/4.00-8	1294	1163	608	980	633	296
WB 6204R	160	10.7	78	6	3.50-8	1430	605	540	900	640	232
WB 6214	120	10.6	65	5	3.50-8	1318	545	553	816	662	205
WB 6414T	160	15.1	72	5	16" x 4"A	1405	580	600	875	595	285
WB 6420-II	120	13	80	5	4.00-8	1480	515	590	825	640	250



Model PH 152



Model PH 300



Model PH 2001



Model PH 2008



Model PH 153



Model PH 153B



Model PH 154



Model PH 155



Model 500CP35

Model	Weight (kg)	Load (kg)	Castor	H	h	L	W
PH 152	7.1	100	4"	823	143	710	456
PH 300	16	300	5"	863	209	916	616
PH 2001	7	100	4"	830	167	740	470
PH 2008	16.7	150	5"	895	225	875	610
PH 153	6.6	100	4"	830,665	240,165	725,500	415
PH 153B	6.8	100	4"	830,668	230,165	725,500	415
PH 154	7.4	100	4"	956,670	230,165	725,500	415
PH 155	8.5	60	4"	806	145	671	432
500CP351	52	500	8"	960	310	1562	761



Model HT 5577



Model HT 1109-I



Model HT 1894



Model HT 1894M



Model HT 1896



Model HT 1851



Model HT 1428



Model HT 1589B



Model HT 1589A

Model	Load (kg)	Solid Tyre	Pneumatic Tyre	Body Size (mm)	Own Weight (kg)	Toe plate Width (mm)
HT 5577	200	6.5" x 1.75"		1210 x 550 x 600	19	210
HT 1109-I	100		3.00-4	1150 x 450 x 820	11	450
HT 1894	200		3.00-4	1200 x 595 x 670	11.6	425
HT 1894M	100		3.00-4	1120 x 480 x 350	8.1	490
HT 1896	200		3.50-4	1280 x 550 x 495	13.5	190
HT 1851	250		10" x 3.5"	1260 x 570 x 460	14.1	220
HT 1428	100		3.00-4	1130(773) x 495 x 562(300)	11.2	302
HT 1589B	50	8" x 1.5"		1020 x 485 x 475	4.2	305
HT 1589A	30	8" x 1.5"		990 x 495 x 450	4.5	280



Model HT 1842



Model HT 1825



Model HT 1557



Model HT 1312B



Model HT 1827AN



Model HT 1400



Model HT 1802



Model HT 1900



Model HT 1836A

Model	Load (kg)	Solid Tyre	Pneumatic Tyre	Body Size(mm)	Own Weight (kg)	Toe plate Width (mm)
HT 1842	250		10" x 3.5"	1450 x 550 x 460	14.2	180
HT 1825	200		10" x 3.5"	1200 x 590 x 520	19.5	245
HT 1557	200	8" x 2.5"		1515 x 609 x 315	19.6	125
HT 1312B	80	6.5" x 1.75"		1120 x 590 x 410	15.2	390
HT 1827AN	180		3.00-4	1115 x 520 x 470 (840)	11	180/545
HT 1400	150		8" x 2.5"	1190 x 500 x 530	13.5	230
HT 1802	150		10" x 3.5"	1180 x 550 x 570	15	230
HT 1900	150	10" x 2.75"		1180 x 545 x 475	15	255
HT 1836A	250		3.50-4	1218 x 420 x 409	11	255



Model HT 2505



Model HT 1419



Model HT 2500A I



Model HT 1597



Model HT 1115



Model HT 1864



Model HT 1888



Model HT 1845



Model HT 2506

Model	Load (kg)	Solid Tyre	Pneumatic Tyre	Body Size (mm)	Own Weight (kg)	Toe plate Width (mm)
HT 2505	200	13" x 3"		1150 x 555 x 615	19.5	330
HT 1419	120		2.50-4	1048 x 350 x 495	9	262
HT 2500A I	150		3.00-4	1110 x 510 x 460	10	190
HT 1597	60	8" x 2"		1285 x 500 x 835	10.8	600
HT 1115	80	6" x 1.75"		1140 x 398 x 413	8.7	230
HT 1864	120		4.10/3.50-4	1355 x 505 x 540	20.6	230
HT 1888	150		4.10/3.50-4	1310 x 470 x 690	10.25	310
HT 1845	120		3.00-4	1160 x 600 x 520	15	230
HT 2506	120		3.00-4	1200 x 540 x 480	6.4	208



Model SC 2250



Model SC 5243



Model SC 3240



Model TC 0735



Model SC 0511



Model SC 0530



Model SC 0535



Model TC 1852



Model SC 1101

Model	Weight(kg)	Load(kg)	Castor	Length	Width	Height
SC 2250	18.5	150	5"	1009	626	825
SC 5243	10.8	100	4"	755	415	875
SC 3240	15.6	120	4"	735	475	865
TC 0735	4.5	200	4"	550	365	155
SC 0511	7.5	200	3"	570	570	165
SC 0530	8.1	200	3"	Φ496		157
SC 0535	9	250	3"	Φ598		157
TC 1852	12.8	300	3.50-4	800	400	475
SC 1101	15.6	400	6"	Φ610		275



Model TC 0503-1




Model TC 0504



Model TC 0505



Model TC 0506



Model TC 0507



Model TC 0508



Model TC 0508-1



Model TC 0523



Model TC 0524

Model	Load (kg)	Caster	Body Size(mm)	Own Weight (kg)
TC 0503-1	300	3"	760 × 460 × 145	5.80
TC 0504	300	4"	910 × 610 × 175	7.60
TC 0505	300	4"	910 × 410 × 175	7.00
TC 0506	300	3"	910 × 610 × 145	6.40
TC 0507	300	3"	900 × 300 × 145	5.90
TC 0508	300	4"	760 × 460 × 175	7.80
TC 0508-1	300	4"	830 × 465 × 200	9.00
TC 0523	200	3"	760 × 460 × 125	5.30
TC 0524	120	3"	760 × 460 × 118	4.20



Model TC 0525



Model TC 0527



Model TC 0532



Model TC 0533-9



Model TC 0555



Model TC 0555-1



Model TC 1812M II



Model TC 1834



Model TC 1840A

Model	Load (kg)	Caster	Pneumatic Tyre	Body Size (mm)	Own Weight (kg)
TC 0525	120	3"		760 × 460 × 118	4.00
TC 0527	200	3"		760 × 460 × 125	5.40
TC 0532	100	3"		500 × 500 × 118	2.40
TC 0533-9	75	2"		350 × 350 × 75	3.10
TC 0555	450	4"		820 × 460 × 185	13.50
TC 0555-1	450	4"		760 × 460 × 185	11.50
TC 1812M II	100		3.00-4	1050 × 620 × 530	20.2
TC 1834	200		3.50-4	1130 × 660 × 515	21
TC 1840A	300		3.50-4	1865 × 520 × 570	28



Model TC 3001A



Model TC 3038SP



Model TC 1727



Model TC 1133



Model TC 0701



Model TC 1405



Model TC 1405KH



Model TC 1507

Model	Load (kg)	Solid Tyre	Pneumatic Tyre	Body Size (mm)	Own Weight (kg)
TC 3001A	1000		6.50-8	1645 × 1215 × 1305	92
TC 3038SP	200		3.50-4	1200 × 1060 × 765	26
TC 1727	20	8" × 1.75"		1110 × 560 × 480	8
TC 1133	20	8"		825 × 530 × 820	6.2
TC 0701	90	4"		1068 × 460 × 190	9.5
TC 1405	100	7.5" × 2"		405 × 220 × 300	2.5
TC 1405KH	100	7.7" × 6"		465 × 215 (420-570)	3.6
TC 1507		8" × 1.75"		1070 × 589 × 965	19



Model T24




Model T282



Model T15



Model T516



Model T19



Model T19-1



Model T95



Model T96



Model T1504



Model T1505



Model T1506

Model	Load (kg)	Own Weight (kg)	Body Size (mm)
T24	100	9.15	1772 × 700 × 915
T282	150		
T15	150	5.3	588 × 273 × 130
T516	150	3.8	(800~990) × 170 × 260
T19	260	4.5	760 × 130 × 155
T19-1	100	1.25	110 × 110 × 450

Model	Load (kg)	Own Weight (kg)	Body Size (mm)
T95	150	7.5	(1015~1235) × 195 × 150
T96	150	3.5	(490~690) × 240 × 141
T1504	180	5.6	667 × 250 × 130
T1505	150	3.75	620 × 200 × 130
T1506	180	4.61	580 × 310 × 152



Model T1509



Model T1511



Model T1512



Model T1513



Model T1514



Model T1515



Model T112



Model T116



Model T1507



Model T13



Model T109



Model T655

Model	Load (kg)	Own Weight (kg)	Body Size (mm)	Model	Load (kg)	Own Weight (kg)	Body Size (mm)
T1509		5.5	203 × 162 (592~893)	T112		13.4	1100 × 140 × 225
T1511	150	4.8	(578~842) × 241 × 135	T116		10	630 × 73 × 135
T1512	150	8.7	(850~1025) × 248 × 110	T1507		9	286 × 165 × (755~1325)
T1513	150	6	(578~845) × 225 × 115	T13		3.9	600 × 797 × 50
T1514	150	4.4	(600~870) × 205 × 125	T109		2.95	102 × 102 × 850
T1515	150	7.4	(710~960) × 280 × 130	T655		4.5	Φ465 × Φ385 × 655